




Shd_foundation_07_200.vp3
7.87x7.87 inches; 1,804 stitches
26 thread changes; 3 colors




Shd_foundation_07_200a.vp3
7.87x7.87 inches; 6,191 stitches
27 thread changes; 4 colors




Shd_foundation_07_200q.vp3
7.09x7.09 inches; 4,387 stitches
1 thread changes; 1 colors




Shd_foundation_07_240.vp3
9.45x9.44 inches; 2,136 stitches
26 thread changes; 3 colors



Shd_foundation_07_240a.vp3
9.45x9.44 inches; 7,348 stitches
27 thread changes; 4 colors




Shd_foundation_07_240q.vp3
8.50x8.50 inches; 5,212 stitches
1 thread changes; 1 colors




Shd_foundation_07_260.vp3

10.24x10.23 inches; 2,305 stitches
26 thread changes; 3 colors



Shd_foundation_07_260a.vp3

10.24x10.23 inches; 7,968 stitches
27 thread changes; 4 colors



Shd_foundation_07_260q.vp3

9.21x9.22 inches; 5,663 stitches
1 thread changes; 1 colors




Step 1

will outline the first placement

then lay your piece down
allowing for seam allowance
and it will sew out all around
and you can trim

I hoop backing and cotton batting



Place second fabric down along the proper place
and sew to the first fabric
Flip out and smooth out
and next step is to sew the placement line for third fabric
trim if needed

START
STOP

fold out and trim

240 x 240mm 9-1/2" x 9-1/2"



fold over and finger press
next placement line will sew



Place next fabric strip over placement line
making sure you have a 1/4 inch seam
Sew seam



trim once again



9-1/2" x 9-1/2"

Fold out, Finger press and
next placement line will sew out


240 x 240mm

9-1/2" x 9-1/2"

place next fabric strip just over the placement line
leaving a 1/4 inch seam allowance
and sew



Continue following the numbers
on the finished block



At the end a basting out line sews out
and you can use this line to cut a perfect square

